

# WT5400 / WT6400 Accessories Guide

Revised April 2025





## **I. Accessories that POWER wearable terminals**

### **1 Chargers**

- 1.1 Wearable Terminal Cradles 3
- 1.2 Combined Wearable Terminal and Battery Charger 3
- 1.3 Battery Chargers 4

### **2 Batteries**

- 2.1 Spare Li-ion standard capacity batteries 4
- 2.2 Spare Li-ion extended capacity batteries 4

### **3 Power supply, cables, and adapters**

- 3.1 Power supply and cable matrix 5
- 3.2 Headset cables 5
- 3.3 Vibrating cable 5

## **II. Accessories that ENABLE productivity solutions**

### **4 Wearable mounts**

- 4.1 Wrist Mounts 6
- 4.2 Hip Mount 6

### **5 Replacement Wrist Straps**

- 5.1 Single Dial Straps 7
- 5.2 Double Dial Straps 7
- 5.3 Velcro Straps 7
- 5.4 X-Straps 7

### **6 Other Accessories**

- 6.1 Arm Sleeves 8
- 6.2 Screen Protector 8

### **7 Corded Ring Scanners**

8

## WT5400 / WT6400 Cradles



### WT5400 / WT6400 Single Slot Charge Cradle

SKU# CRD-WT5X6-1S1BC-01

Single Slot Charge Only Sharecradle, Allows Charging Of 1 Wearable Terminal And 1 Spare Battery.

- Sold separately: Power supply [SKU# PWR-BGA12V50W0WW](#), DC cable [SKU# CBL-DC-388A1-01](#), and Country-specific AC line cord



### WT5400 / WT6400 10-Slot Charge Cradle

SKU# CRD-WT5X6-10SC-01

10-Slot Charge Only cradle, Allows Charging Of 10 Wearable Terminals.

- Sold separately: Power Supply [SKU# PWR-BGA12V108W0WW](#), DC Line Cord [SKU# CBL-DC-381A1-01](#), Country Specific 3 wire AC Line Cord and Rack/Wall Mounting bracket for multi-slot cradles [SKU# BRKT-SCRD-SMRK-01](#).



### WT5400 / WT6400 5-Slot Charge Cradle

SKU# CRD-WT5X6-5S5BC-01

5-Slot Charge Only Sharecradle With Spare Battery Charger, Allows Charging Of 5 Wearable Terminals And 5 Spare Batteries.

- Sold separately: Power Supply [SKU# PWR-BGA12V108W0WW](#), DC Line Cord [SKU# CBL-DC-381A1-01](#), Country Specific 3 wire AC Line Cord and Rack/Wall Mounting bracket for multi-slot cradles [SKU# BRKT-SCRD-SMRK-01](#).



### WT6400 5-Slot Ethernet Cradle


SKU# CRD-WT64-5S5BE-01

5-Slot Ethernet Sharecradle With Battery Charger, Allows Charging Of 5 WT6400 Wearable Terminals, 5 Batteries And Allows Ethernet Communication. Note: Not Compatible With WT5400.

- Sold separately: Power Supply [SKU# PWR-BGA12V108W0WW](#), DC Line Cord [SKU# CBL-DC-381A1-01](#), Country Specific 3 wire AC Line Cord and Rack/Wall Mounting bracket for multi-slot cradles [SKU# BRKT-SCRD-SMRK-01](#).



## Battery Charger




### WT5400 / WT6400 4-Slot Battery Charger

SKU# SAC-WT5X6-4SC-01

4-Slot Spare Battery Charger, Allows Charging Of 4 Spare Batteries For Wearable Terminal. LEDs on the cradle indicate charge status of each battery.

- Sold separately: Power supply [SKU# PWR-BGA12V50W0WW](#), DC cable and Country-specific AC line cord [SKU# 23844-00-00R](#)



### WT5400 / WT6400 20-Slot Battery Charger

SKU# SAC-WT5X6-20SC-01

20-Slot Spare Battery Charger, Allows Charging Of 20 Batteries For Wearable Terminal. LEDs on the cradle indicate charge status of each battery.

- Sold separately: Power supply [SKU# PWR-BGA12V108W0WW](#), DC cable [SKU# CBL-DC-381A1-01](#), Country-specific AC line cord and Rack/Wall Mounting bracket for multi-slot cradles [SKU# BRKT-SCRD-SMRK-01](#).

## Batteries



### WT5400 / WT6400 Lithium Ion, Standard Capacity Battery

SKU# BTRY-WT5X6-35MA-01

- Standard Capacity Lithium-Ion Battery, 3500mAh, Supports Operation Between -20C/-4F And 50C/122F. PowerPrecision+ advanced battery technology, provides higher level of intelligence on battery state of charge and state of health.



### WT5400 / WT6400 Lithium Ion, Extended Capacity Battery

SKU# BTRY-WT5X6-50MA-01

- Extended Capacity Lithium-Ion Battery, 5000mAh, Supports WT6400 Operation Between -30C/-22F and 50C/122F and WT5400 Operation Between -20C/-4F and 50C/122F. PowerPrecision+ advanced battery technology, provides higher level of intelligence on battery state of charge and state of health.

# Accessories that power and connect to devices



## Power supply, cables, and adaptors

### Power supply and cable matrix

SKU#	Description	Note
<a href="#">CBL-EC5X-USBC3A-01</a>	USB-C to USB-C Communications and Charge Cable, 1.2M Long; Supports 3.0 Superspeed and Fast Charge	For use with WT5400 only
<a href="#">CBL-TC5X-USBC2A-01</a>	USB-A to USB-C Communications and Charge Cable, 1M Long	
<a href="#">CBL-NGWT-USBCHG-01</a>	WT6300 / WT6400 USB Charging Cable. Allows Communication And Charging of the Wearable Terminal Via USB	For use with WT6400 only
<a href="#">PWR-WUA5V12W0US</a>	Power Supply, 100-240 VAC, 5V, 2.5A With US Plug.	For use with <a href="#">CBL-TC5X-USBC2A-01</a> and <a href="#">CBL-NGWT-USBCHG-01</a>
<a href="#">PWR-BGA12V50W0WW</a>	Level VI AC/DC Power Supply (Brick, replacement for PWRS-14000-148R) AC Input: 100-240V, 2.4A DC Output: 12V, 4.16A, 50W Requires: DC line cord and Country specific grounded AC line cord.	<b>Sold separately. Use as:</b> <ul style="list-style-type: none"> <li>Power supply for Single Slot Terminal Charger and Four Slot Battery Charger <a href="#">SKU# CRD-WT5X6-1S1BC-01</a> and <a href="#">SAC-WT5X6-4SC-01</a></li> </ul>
<a href="#">CBL-DC-388A1-01</a>	DC Line Cord for running the single slot cradles or battery chargers from a single Level VI power supply PWR-BGA12V50W0WW, Level VI replacement for PWRS-14000-148R.	<ul style="list-style-type: none"> <li>DC Line Cord between power supply and charger</li> <li>AC Line Cord between power supply and outlet (country specific)</li> </ul>
<a href="#">23844-00-00R</a>	US AC line cord, 7.5 feet long, grounded, three wire for power supplies.	
<a href="#">PWR-BGA12V108W0WW</a>	Level VI AC/DC Power Supply (Brick, Replacement for PWRS-14000-241R) AC Input: 100-240V, 2.8A DC Output: 12V, 9A, 108W Requires: DC line cord and Country specific grounded AC line cord.	<b>Sold separately. Use as:</b> <ul style="list-style-type: none"> <li>Power supply for Multi-slot Sharecradles and 20-slot battery charger <a href="#">SKU# CRD-WT5X6-10SC-01</a>, <a href="#">CRD-WT5X6-5S5BC-01</a>, <a href="#">CRD-WT64-5S5BE-01</a> and <a href="#">SAC-WT5X6-20SC-01</a></li> </ul>
<a href="#">CBL-DC-381A1-01</a>	DC Line Cord for running multi-slot cradles from a single Level VI power supply PWR-BGA12V108W0WW, Level VI replacement for PWRS-14000-241R	<ul style="list-style-type: none"> <li>DC Line Cord between power supply and charger</li> <li>AC Line Cord between power supply and charger</li> </ul>
<a href="#">23844-00-00R</a>	US AC line cord, 7.5 feet long, grounded, three wire for power supplies.	<ul style="list-style-type: none"> <li>Rack/Wall Mounting bracket for 20-slot ring scanner cradle and 40-slot battery charger</li> </ul>
<a href="#">BRKT-SCRD-SMRK-01</a>	Rack/Wall Mounting bracket for multi-slot cradles.	
<a href="#">CBL-NGWT-AUQDLG-01</a>	Audio Adapter Cable, Compatible With Quick-Disconnect Wired Headsets. Intended For Use When The Device Is Worn On The Hip.	<ul style="list-style-type: none"> <li>For use with WT6400 only</li> <li>Compatible with HS2100</li> </ul>
<a href="#">CBL-NGWT-AUQDST-02</a>	Audio Adapter Cable, Compatible With Quick-Disconnect Wired Headsets. Intended For Use When The Device Is Worn On The Wrist.	<ul style="list-style-type: none"> <li>For use with WT6400 only</li> <li>Compatible with HS2100</li> </ul>
<a href="#">25-129938-02R</a>	Training Cable with Quick Disconnect, Connects Two Wired Headsets To One Mobile Computer	For use with <a href="#">CBL-NGWT-AUQDLG-01</a> or <a href="#">CBL-NGWT-AUQDST-01</a>
<a href="#">CBL-NGWT-HDVBAP-01</a>	Vibrating Cable, Connects Directly To The Wearable Terminal And Provides Additional Haptic Feedback To The User	For use with WT6400 only



## Wearable Mounts

### WT5400 / WT6400 Single Dial Wrist Mount



SKU# SG-WT5X6-WMTSS-01

Wrist Mount With Single Dial Strap, Small.

SKU# SG-WT5X6-WMTSL-01

Wrist Mount With Single Dial Strap, Large.

SKU# SG-WT5X6-WMTSX-01

Wrist Mount With Single Dial Strap, Extra Large, For Wearing Over A Jacket

### WT5400 / WT6400 Double Dial Wrist Mount



SKU# SG-WT5X6-WMTDS-01

Wrist Mount With Double Dial Strap, Small.

SKU# SG-WT5X6-WMTDL-01

Wrist Mount With Double Dial Strap, Large.

SKU# SG-WT5X6-WMTDX-01

Wrist Mount With Double Dial Strap, Extra Large, For Wearing Over A Jacket

### WT5400 / WT6400 Velcro Wrist Mount



SKU# SG-WT5X6-WMTVS-01

Wrist Mount With Two Velcro Straps, Small.

SKU# SG-WT5X6-WMTVL-01

Wrist Mount With Two Velcro Straps, Large.

SKU# SG-WT5X6-WMTVX-01

Wrist Mount With Two Velcro Straps, Extra Large, For Wearing Over A Jacket

### WT5400 / WT6400 Hip Mount



SKU# SG-WT5X6-HPMNT-01

Hip Mount, Allows Wearable Terminal To Be Worn On A Belt

## Replacement Straps for Wrist Mounts

### WT5400 / WT6400 Single Dial Replacement Straps



#### SKU# SG-NGWT-WSTPST-01

Replacement Wrist Strap With Single Dial, Small, With White Accents. Strap length can be adjusted between 128 mm to 191 mm (5 in to 7.5 in).

#### SKU# SG-NGWT-WSTPLN-01

Replacement Wrist Strap With Single Dial, Large, With Black Accents. Strap length can be adjusted between 164 mm to 265 mm (6.5 in to 10.5 in).

#### SKU# SG-NGWT-WSTPLX-01

Replacement Wrist Strap With Single Dial, Extra Large, With Blue Accents. Strap length can be adjusted between 218 mm to 375 mm (8.5 in to 14.8 in).

### WT5400 / WT6400 Double Dial Replacement Straps



#### SKU# SG-WT5X6-WSTDS-01

Replacement Wrist Strap With Double Dial, Small, With White Accents. . Strap length can be adjusted between 128 mm to 191 mm (5 in to 7.5 in).

#### SKU# SG-WT5X6-WSTDL-01

Replacement Wrist Strap With Double Dial, Large, With Black Accents. Strap length can be adjusted between 164 mm to 265 mm (6.5 in to 10.5 in).

#### SKU# SG-WT5X6-WSTDX-01

Replacement Wrist Strap With Double Dial, Extra Large, With Blue Accents. Strap length can be adjusted between 218 mm to 375 mm (8.5 in to 14.8 in).

### WT5400 / WT6400 Velcro Replacement Straps



#### SKU# SG-WT5X6-WSTVS-01

Replacement Velcro Wrist Straps, Small. Strap length 290mm (11.4 in).

#### SKU# SG-WT5X6-WSTVL-01

Replacement Velcro Wrist Straps, Large. Strap length 340 mm (13.4 in).

#### SKU# SG-WT5X6-WSTVX-01

Replacement Velcro Wrist Straps, Extra Large. Strap length 440mm (17.3 in).

### WT5400 / WT6400 Replacement X-Straps



#### SKU# SG-NGWT-WSTVLS-02

Replacement X-strap Wrist Strap, Small. Strap length 132 mm (5.3 in).

#### SKU# SG-NGWT-WSTVLM-02

Replacement X-strap Wrist Strap, Medium. Strap length 187 mm (7.5 in).

#### SKU# SG-NGWT-WSTVLL-02

Replacement X-strap Wrist Strap, Large. Strap length 225 mm (9 in).




## Other Accessories for WT5400 and WT64000



### Arm Sleeves

SKU# SG-WT4027050-01R

Optional Arm Sleeves For Wrist Mount (Pack Of 5).



### Screen Protector

SKU# MISC-WT5X6-SCRN-05

WT5400/WT6400 Screen Protectors (Pack Of 5).

## Corded Ring Scanners (WT6400 only)



RS5000x Standard Trigger Version

SKU# RS5000X-TCFSSWR

RS5000x Corded Wearable Scanner, SE4770, Short Cable, Standard Finger Trigger, Worldwide. Freezer rated to -30C. For use with WT6000, WT6300 and WT6400 wearable terminals only.



RS5000x with Larger Trigger  
for use with Freezer Gloves

SKU# RS5000X-TCFSXWR

RS5000x Corded Wearable Scanner, SE4770, Short Cable, Freezer Finger Trigger, Worldwide. Freezer rated to -30C. For use with WT6000, WT6300 and WT6400 wearable terminals only.